



DALI DALI-2 US\$ Price List excludes GST - Freight negotiable on quantity.

Part No.	Product Information	Trade Unit Price(USD) ex. GST Freight Neg. on quantity			Picture	Gross weight/pcs Quantity per CTN CTN size:38x28x27cm
		>MoQ	MOQ	MoQ - 99		
USD \$ Accepted for Payment - Contact us for further information or for SPOT AUD Price.						
Valid from JULY 2025						
DALI DALI-2 Master						
SR-2300-USB	PC software configuration DALI master, 1) Supports DT6, DT8 Tc, DT8 XY, DT8 RGBWAF device types 2) Supports addressing, grouping and scene configuration for max 64 control gears 3) Built-in 100mA DALI PS, no extra wiring required 4) Easy connect to a Windows PC through USB interface 5) Supports DALI dimmers,input devices (DALI 2 push buttons, sensor)	\$290.00	10pcs	\$240.00		150g/Pcs 70Pcs/CTN
DALI DALI-2 Ethernet (IP) DALI Gateway						
SR-GW-EDA	PC software configuration DALI master, • Supports DT6, DT8 Tc, DT8 XY, DT8 RGBWA device types • Supports addressing, grouping and scene configuration for max. 64 control gears (DALI-1 and DALI-2) • Built-in 250mA DALI PS, no extra wiring required • Easy connect to a network through Ethernet connection • Easy & quick configuration through DALI Center PC application • Built-in battery, built-in RTC, supports timer task configuration	\$212.00	10pcs	\$188.00		150g/Pcs 70Pcs/CTN
DALI IoT Wireless Gateway						
SR-GW-TDA	1) Supports DT6, DT8 Tc, DT8 XY, DT8 RGBWAF device types 2) Built-in 250mA DALI PS, no extra wiring required 3) Supports addressing, grouping and scene configuration for max 64 control gears 4) Easy connect to a network through Ethernet connection 5) Built-in battery, built-in RTC, supports timer task configuration 6) Supports cycle schedule configuration 7) Work with "Light space" or Tuya smart App	\$370.00	10pcs	\$333.00		150g/Pcs 70Pcs/CTN
KNX to DALI Gateway						
SR-KNX9100/DA2-2CH	KNX to DALI Gateway with 2CH DALI outputs 1) Supports DT6, DT8 Tc, DT8 XY, DT8 RGBWAF device types 2) Built-in 250mA DALI PS, no extra wiring required 3) Supports addressing, grouping and scene configuration for max 2CH*64 control gears by PC software	\$290.00	10pcs	\$240.00		150g/Pcs 70Pcs/CTN
DALI Bus Power Supply						
SR-2400PS	(1) 100-240VAC, 16VDC, 100mA output current (3) work with DALI panel or DALI module from Sunricher or compatible with brand DALI	\$56.00	10Pcs	\$49.00		80g/Pcs 200Pcs/CTN
SR-2400P	(1) 100-240VAC, 16VDC, 250mA output current (2) DIN version (3) work with DALI panel or DALI module from Sunricher or compatible with brand DALI	\$73.20	10pcs	\$64.05		200g/pcs 46pcs /CTN
SR-2400PEA	(1) 100-240VAC, 16VDC, 250mA output current (2) screw version (3) work with DALI panel or DALI module from Sunricher or compatible with brand DALI	\$73.20	10pcs	\$64.05		170g/pcs 56pcs /CTN

DALI Signal Amplifier						
SR-2400AMP	(1) 100-240VAC, 16VDC, 150mA output current (2) DALI Signal repeater (3) 200ma max	\$79.36	10pcs	\$68.54		240g/pcs 56pcs /CTN
DALI Broadcast Interface						
SR-2400BRC	(1) 100-240VAC, 16VDC, 150mA output current (2) Can be addressed by DALI master, and broadcast to DT6 DALI control gears	\$79.36	10pcs	\$68.54		240g/pcs 56pcs /CTN
DALI DT6 DC-DC Dimming Module						
SR-2303P(4 IN 1)	1) 12-36VDC input, 1ch*20A or 2ch*10A output, constant voltage 2) phase-cut triac +0/1-10V+DALI+Push dim 4 in 1 led dimmer	\$45.52	20pcs	\$41.00		170g/pcs. 70pcs / CTN
SR-2303S	(1) 12-36VDC, constant voltage (2) 1ch , 1 address, 8A , 12V@96W, 24V@192W, 36V@ 288W	\$35.52	30PCS	\$31.08		90g/pcs 160pcs /CTN
SR-2303(PUSH-DIM)	(1) 12-24VDC, constant voltage 10A , 120-240W (2) 1ch, 1 address, (3) push-DIM function, directly support AC high voltage input push-switch (4) Super slim	\$41.52	10pcs	\$37.08		110g/pcs 100pcs /CTN
SR-2304B	(1) 12-36VDC, constant voltage, with push-dim function (2) 4ch , can set 1-4 addresses, 5A , 12V@240W, 24V@480W, 36V@ 720W	47.52	20pcs	41.58		160g/pcs. 100pcs / CTN
SR-2304NP	(1) 12-36VDC, constant voltage (2) 4ch , can set 1-4 addresses, 5A , 12V@240W, 24V@480W, 36V@ 720W (3) PUSH& PLUG terminal	47.52	20pcs	41.58	 PUSH& PLUG terminal	180g/pcs 80pcs /CTN
SR-2304DIN	(1) 12-36VDC, constant voltage, DIN mounted version, with push-dim function (2) 4ch , can set 1-4 addresses, 5A , 12V@240W, 24V@480W, 36V@ 720W	47.52	20pcs	41.58		150g/pcs 70pcs /CTN
SR-2304BEA	(1) 12-36VDC, constant voltage,with push-dim function (2) 4ch , can set 1-4 addresses, 8A , 12V@384W, 24V@768W, 36V@ 1152W	57.36	20pcs	50.20		210g/pcs 56pcs/CTN
SR-2316B	(1) 12-36VDC, constant current, with push-dim function (2) 4ch , can set 1-4 addresses, 350mA , 12V@16.8W, 24V@33.6W, 36V@50.4W	57.60	20pcs	\$55.00		160g/pcs. 100pcs / CTN
SR-2318B	(1) 12-36VDC, constant current, with push-dim function (2) 4ch , can set 1-4 addresses, 700mA , 12V@33.6W, 24V@67.2W, 36V@100.8W	57.60	20pcs	\$55.00		160g/pcs. 100pcs / CTN
SR-2304B(WP)	12-36VDC, constant voltage, 4ch , can set 1-4 addresses, 5A , 12V@240W, 24V@480W, 36V@ 720W, IP67	\$64.06	20PCS	\$56.80		430g/pcs 18pcs /CTN
SR-2303FA-OLED	(1) 12-36VDC, constant voltage, (2) 4ch , can set 1-4 addresses, 5A , 12V@240W, 24V@480W, 36V@ 720W (3) with built-in DALI master function (4) 250HZ-30KHz PWM frequency settlable	\$66.06	30Pcs	\$58.80		170g/pcs 56pcs /CTN
DALI DT8 DC-DC Dimming Module						

SR-2309S-CCT	DT8 version 2 channels CCT dimmer DC version, 12-36VDC,2 ch x 5A, constant voltage Overcurrent / overheat protection applied	\$57.06	20pcs	\$49.80		100g/pcs 100pcs /CTN
SR-2309PRO	(1) DT8 version 4 channels dimmer, push dim compatible (2) 6 device types in 1: Tc, RGBWAF, XY, 2*Tc, XY+W (DT6), DT6 (3) DC version, 12-36VDC, 4ch x 5A, constant voltage (4) Overcurrent / overheat protection applied	\$62.06	20PCS	\$54.80		200g/pcs 70pcs /CTN
SR-2309PRO-5C	(1) DT8 version 5 channels dimmer, push dim compatible (2) 8 in 1: Tc, RGBWAF, XY, 2*Tc, XY+Tc, RGB+Tc, XY+W (DT6), DT6 (3) DC version, 12-36VDC, 5ch x 5A, constant voltage (4) Overcurrent / overheat protection applied	\$62.06	30Pcs	\$54.80		200g/pcs 70pcs /CTN
SR-2309FA-OLED	(1) DALI DT8 dimmer with built-in master function (2) 4 in 1: XY, Tc, RGBWA, XY_Tc, RGB+Tc (3) DC version, 12-36VDC, 4ch x 5A, constant voltage (4) with built-in DALI master function (5) 250HZ-30KHz PWM frequency settable	\$66.06	30Pcs	\$58.80		200g/pcs 70pcs /CTN
DALI Switch, DALI Relay						
SR-2701S	(1) DALI relay module powered, MINI size, 1 address be assigned by DALI master (2) DALI bus (3) Only control ON/OFF	\$46.80	30PCS	\$39.00		80g/Pcs 200Pcs/CTN
SR-2701S-N	(1) DALI relay module + DALI to 0/1-10v (2) DALI bus powered, MINI size, 1 address be assigned by DALI master	\$47.00	30PCS	\$41.00		80g/Pcs 200Pcs/CTN
SR-2701B	(1) 100-240AC (2) DALI switch only	\$53.32	20PCS	\$46.66		200g/pcs. 70pcs / CTN
SR-2702B	(1) 12-36VDC (2) DALI switch only	\$57.12	20PCS	\$49.98		200g/pcs. 70pcs / CTN
DALI AC-AC Phase Cut Triac Dimmer						
SR-2303AC	(1) 100-240VAC,2CH,1.2A,240W-576W (2)To dim and switch single color dimmable LED lamps,traditional incandescent and halogen lights (3)Min. brightness settable (4)Trialing edge dimming (5) 5 years warranty	\$40.60	20pcs	\$39.00		200g/pcs 56pcs /CTN
SR-2303SAC-HP	single channel DALI to triac dimmer to control 400W traditional incandescent and Halogen lights	42.00	20pcs	33.00		90g/pcs 200pcs /CTN
SR-2303AC-4CH-DIN	4CH DALI to Triac Din-rail 4x1.5A 1600W at 220V can have 4 DALI address and control RGBW seperately	\$90.00	10pcs	\$86.80		580g/pcs 20pcs /CTN
DALI Sensor Scene Module						
SR-2412-Scenes	DALI scene controller module (1) powered by DALI bus / DALI signal output (2) Control up to 16 scenes (3) control up to 16 groups (4) with 16 different time delays (5) enable to connect with different sensor	\$60.40	10pcs	\$52.80		80g/pcs 200pcs /CTN
RF Wireless to DALI Module						

SR-2411-RF-DIM	RF remote to DALI, DALI bus powered, RF wireless to DALI unit, controlled by RF remote from 1009 system, multi zones control	\$63.40	10pcs	\$55.80		80g/Pcs 200Pcs/CTN
SR-2411-RF-CCT	RF remote to DALI, Powered by DALI bus, for dual color control (1) Work with type 6 or type 8 DALI slave (2) compatible with single color RF remote in perfect RF series, like SR-2819SCCT, SR-2833CCT etc	\$63.40	10Pcs	\$55.80		80g/Pcs 200Pcs/CTN
SR-2411-RF-RGBW	RF remote to DALI, Powered by DALI bus, for RGBW control (1) Work with type 6 or type 8 DALI slave (2) compatible with single color RF remote in perfect RF series, like SR-2819S, SR-2819, SR-2839WK etc (3) Can set the controlled group, scene by rotary switch	\$63.40	10Pcs	\$55.80		80g/Pcs 200Pcs/CTN
SR-2421-ZG	ZigBee to DALI + 0/1-10v 2 in 1 converter powered by 110-240VAC, 50mA DALI bus built-in, DALI DT6 or DT8 device type selectable under DALI mode	\$51.20	20pcs	\$45.26		100g/Pcs 100Pcs/CTN
SR-2421-SB	2.4G BLE to DALI + 0/1-10v 2 in 1 converter powered by 110-240VAC, 50mA DALI bus built-in, DALI DT6 or DT8 device type selectable under DALI mode	\$51.20	20pcs	\$45.26		100g/Pcs 100Pcs/CTN
SR-2421-BL-TY	Bluetooth to DALI converter (TuYa app control), built-in DALI PS 50mA,	\$63.40	20pcs	\$57.60		100g/Pcs 100Pcs/CTN
SR-WF2411-TY	WiFi to DALI converter (TuYa app control), passive, powered by dali bus.	\$63.40	20pcs	\$57.60		100g/Pcs 100Pcs/CTN
DALI MCU Dimmer						Gross weight/pcs Quantity per CTN CTN size:38x28x27cm
Part No.	Product information	Unit Price(USD)			Photoes	
			MOQ			
SR-2400RG-DIM-A	1. DALI MCU digital rotary dimmer DT6 single color 2. Powered by 100-240VAC 3. 100mA DALI bus built-in 4. with broadcast + group control	\$54.80	10pcs	\$50.60		220g/pcs 36pcs /CTN
SR-2400RG-CCT-A	1. DALI MCU digital rotary dimmer DT8 CCT 2. Powered by 100-240VAC 3. 100mA DALI bus built-in 4. with broadcast + group control	\$54.80	10pcs	\$50.60		220g/pcs 36pcs /CTN
SR-2400RB	1. DALI MCU digital rotary dimmer single color 2. Powered by 100-240VAC 3. 100mA DALI bus built-in, broadcast	\$54.80	10pcs	\$50.60		220g/pcs 36pcs /CTN
SR-2400RB-CCT	(1) DT8 version rotary panel- DT8 CCT . (2) for CCT lighting control. (3) 100-240VAC input (5) DALI signal output, broadcast	\$54.80	10pcs	\$50.60		220g/pcs 36pcs /CTN
SR-2400RB-US	(1) DT8 version rotary panel- CCT version. (2) for DT6 single color lighting control. (3) 100-240VAC input (4) DALI signal output , broadcast	\$54.80	10pcs	\$50.60		300g/pcs 37pcs/CTN
SR-2400RB-CCT-US	(1) DT8 version rotary panel- CCT version. (2) for DT8 CCT lighting control. (3) 100-240VAC input (4) DALI signal output , broadcast	\$54.80	10pcs	\$50.60		300g/pcs 37pcs/CTN
SR-2400RB-NF-DIM	1. DALI MCU digital rotary dimmer module without frame 2. Powered by 100-240VAC 3. 100mA DALI bus built-in , broadcast	\$49.80	10pcs	\$45.60		160g/pcs 36pcs/CTN
DALI Push Button (Dry Contact) Control Module						

SR-2400LC	(1) DALI module with 4 momentary switch for 4 lights (2) powered by DALI bus or DALI power (5) output connect with DALI slave, such as SR-2302B, SR-2303B ect. from Sunricher.	\$59.76	10PCS	\$52.29		90g/pcs 200pcs /CTN
SR-2400GC	(1) DALI module with 4 momentary switch for 4 groups (2) powered by DALI bus or DALI power (5) output connect with DALI slave, such as SR-2302B, SR-2303B ect. from Sunricher.	\$59.76	10pcs	\$52.29		90g/pcs 200pcs /CTN
SR-2400SC	(1) DALI module with 4 momentary switch for 4 scenes (2) powered by DALI bus or DALI power (5) output connect with DALI slave, such as SR-2302B, SR-2303B ect. from Sunricher.	\$59.76	10pcs	\$52.29		90g/pcs 200pcs /CTN
DALI PUSH Button Couple with built-in Bus Power						
SR-2400PD	(1) 100-240VAC, 16VDC, 50mA output current (2) to be used as standalone (independent) system, match push button to use, DALI broadcast mode, to make push button control DALI led drivers.	41.20	20pcs	35.00		80g/Pcs 200Pcs/CTN
DALI DT6 Wall Panel						
SR-2400TL	(1) DALI wall mounted touch switch for 4 address channel control (2) 12-24V DC input (5) output connect with DALI slave	\$60.95	10pcs	\$53.33		220g/pcs 36pcs /CTN
SR-2400TG	(1) DALI wall mounted touch switch for 4 groups control (2) powered by DALI bus or DALI power (5) Output connect with DALI slave	\$60.95	10pcs	\$53.33		220g/pcs 36pcs /CTN
SR-2400TS	(1) DALI wall mounted touch switch for 4 scenes control (2) 12-24V DC input (5) Output connect with DALI slave	\$60.95	10pcs	\$53.33		220g/pcs 36pcs /CTN
SR-2300TS-DIM-EU-AC	(1) DALI wall mounted touch dimmer switch for 4 zones (single color) (2) powered by 100-240VAC (3) 100mA DALI bus built-in (4) output connect with DALI slave	\$60.95	10pcs	\$53.33		220g/pcs 36pcs /CTN
SR-2300TS-DIM-US-AC	(1) DALI wall mounted touch dimmer switch for 4 zones (single color) (2) powered by DALI bus or DALI power (3) EURO size / USA size available (4) output connect with DALI slave	\$60.95	10pcs	\$53.33		300g/pcs 37pcs/CTN
SR-2300TR-DIM-EU-AC	(1) DT6 version wall panel- single color touch panel. 1 group control (2) broadcast+group control (3) powered by 100-240VAC, 100mA DALI bus built-in (4) touch panels, fixed brightness----25%, 50%,75%,100%. (5) <u>DALI BUS powered. for 1 zone. save 4 scenes / colors</u>	\$64.00	10pcs	\$57.00		220g/pcs 36pcs /CTN
SR-2300TR-G4-DIM-EU-AC	(1) DT6 version wall panel- single color touch panel. 4 groups control (2) broadcast+group control (3) powered by 100-240VAC, 100mA DALI bus built-in (4) touch panels, fixed brightness----25%, 50%,75%,100%. (5) <u>DALI BUS powered. for 1 zone. save 4 scenes / colors</u>	\$64.00	10pcs	\$57.00		220g/pcs 36pcs /CTN
SR-2400RL	1. Address Control Single Color DALI DT6 Rotary Dimmer Switch 2. Powered by DALI bus 3. Control 1 DALI address 4. Size: 86x86x41.6mm	\$54.80	10pcs	\$50.60		220g/pcs 36pcs /CTN
SR-2400RL-US	1. Address Control Single Color DALI DT6 Rotary Dimmer Switch 2. Powered by DALI bus 3. Control 1 DALI address 4. Size: 75x120x29.1mm	\$54.80	10pcs	\$50.60		300g/pcs 37pcs/CTN

SR-2410RG-DIM-PL	1. Group Control Single Color DALI DT6 Rotary Dimmer Switch 2. Powered by 100-240VAC 3. 100mA DALI bus built-in 4. Control 1 DALI group 4. Size: 80X80X20.8mm	\$52.80	10pcs	\$48.60		200g/pcs 36pcs/CTN
SR-2410RG-DIM-GL	1. Group Control Single Color DALI DT6 Rotary Dimmer Switch 2. Powered by 100-240VAC 3. 100mA DALI bus built-in 4. Control 1 DALI group 4. Size: 80X80X20.8mm	\$56.60	10pcs	\$52.40		220g/pcs 36pcs/CTN
SR-2422K4-G1-S4	DALI DT8& DT6 panel (SINGLE COLOR) (1) 4 keys DALI single color controller (2) Support DT6 device commands (3) Control 1 group (4) Operation voltage: provided by DALI bus (5) Can recall up to 4 scenes (6) Can set the controlled group/scene by rotary switch	\$48.00	10PCS	\$40.00		200g/pcs 36pcs/CTN
SR-2422K8-DIM-G4	DALI DT8& DT6 panel (SINGLE COLOR) 4 keys DALI single color controller • Support DT6 device commands • Control 1 group • Operation voltage: provided by DALI bus • Can save or recall 2 scenes • Can set the controlled group/scene by rotary switch	\$48.00	10PCS	\$40.00		200g/pcs 36pcs/CTN
SR-2422K8-G1-S8	DALI DT8& DT6 panel (SINGLE COLOR) (1) 8 keys (2) Support DT6 device commands (3) Control 1 group (4) Operation voltage: provided by DALI bus (5) Can recall up to 8 scenes (5) Can set the controlled group/scene by rotary switch (6) DALI single color controller	\$48.00	10PCS	\$40.00		200g/pcs 36pcs/CTN
SR-2422NK2-DIM-G1	DALI DT8 single color control, powered by DALI bus, metal housing (1) 2 keys, control 1 group (2) Support DT6 device commands (3) Can set the controlled group by rotary switch	\$74.00	10Pcs	\$68.60		200g/pcs 36pcs/CTN
SR-2422NK4-DIM-G2	DALI DT8 single color control, powered by DALI bus, metal housing (1) 4 keys, control 2 group (2) Support DT6 device commands (3) Can set the controlled group by rotary switch	\$74.00	10Pcs	\$68.60		200g/pcs 36pcs/CTN
SR-2422NK4-G1-S4	DALI DT8 single color control, powered by DALI bus, metal housing (1) 4 keys, control 1 group, recall up to 4 scenes (2) Support DT6 device commands (3) Can set the controlled group/scene by rotary switch	\$74.00	10Pcs	\$68.60		200g/pcs 36pcs/CTN
SR-2422NK8-DIM-G4	DALI DT8 single color control, powered by DALI bus, metal housing (1) 8 keys, control 4 groups (2) Support DT6 device commands (3) Can set the controlled group by rotary switch	\$74.00	10Pcs	\$68.60		200g/pcs 36pcs/CTN
SR-2422NK8-DIM-G1-S4(DT8)	DALI DT8 single color control, powered by DALI bus, metal housing (1) 8 keys, control 1 group, save or recall up to 4 scenes (2) Support DT6 device commands (3) Can set the controlled group/scene by rotary switch	\$74.00	10Pcs	\$68.60		200g/pcs 36pcs/CTN
DALI DT8 Wall Panel						
SR-2300TR-CCT-EU(DT8)-AC	(1) DT8 version wall panel- CCT touch panel. (2) for CCT lighting control. 1 group control (3) powered by 100-240VAC, 100mA DALI bus built-in (4) touch panels, fixed brightness----25%, 50%, 75%, 100%. (5) DALI BUS powered. for 1 zone, save 4 scenes / colors (6) 86x86x41mm	\$64.00	10pcs	\$57.00		220g/pcs 36pcs/CTN
SR-2300TR-G4-CCT-EU(DT8)-AC	(1) DT8 version wall panel- CCT touch panel. (2) for CCT lighting control. 4 group control (3) powered by 100-240VAC, 100mA DALI bus built-in (4) touch panels, fixed brightness----25%, 50%, 75%, 100%. (5) DALI BUS powered. for 1 zone, save 4 scenes / colors (6) 86x86x41mm	\$64.00	10pcs	\$57.00		220g/pcs 36pcs/CTN

SR-2300TR-G3-CCT-US(DT8)-AC	(1) DT8 version wall panel- CCT touch panel. (2) for CCT lighting control. 3 group control (3) powered by 100-240VAC, 100mA DALI bus built-in	\$64.00	10pcs	\$57.00		300g/pcs 37pcs/CTN
SR-2300TR-RGBW-EU(DT8)-AC	(1) DALI wall mounted touch controller for 1 group , DT8 RGBW (2) powered by 100-240VAC (3) 100mA DALI bus built-in	\$64.00	10pcs	\$57.00		220g/pcs 36pcs /CTN
SR-2300TR-G4-RGBW-EU(DT8)-AC	(1) DALI wall mounted touch controller for 4 groups , DT8 RGBW (2) powered by 100-240VAC (3) 100mA DALI bus built-in	\$64.00	10pcs	\$57.00		220g/pcs 36pcs /CTN
SR-2300TR-G3-RGBW-US(DT8)-AC	(1) DALI wall mounted touch controller DT8 RGBW control, 3 groups (2) powered by 100-240VAC (3) 100mA DALI bus built-in	\$64.00	10pcs	\$57.00		300g/pcs 37pcs/CTN
SR-2422K8-CCT-G1-S2(DT8)	(1) DT8 version wall panel (2) for WW+CW control (3) 8 buttons.(4) DALI bus powered , for 1 zone, save 2 scenes / colors	\$48.00	10PCS	\$40.00		200g/pcs 36pcs /CTN
SR-2422K8-RGBW-G1-S2(DT8)	(1) DT8 version wall panel (2) for RGBW control (3) 8 buttons. (4) DALI BUS powered , for 1 zone, save 2 scenes / colors	\$48.00	10PCS	\$40.00		200g/pcs 36pcs /CTN
SR-2422NK8-CCT-G1-S2(DT8)	DALI DT8 CCT color control, powered by DALI bus, metal housing (1) 8 keys, control 2 group, save 2 scenes/ colors (2) for WW+CW control	\$74.00	10Pcs	\$68.60		200g/pcs 36pcs /CTN
SR-2422NK8-RGBW-G1-S2(DT8)	DALI DT8 RGBW color control, powered by DALI bus, metal housing (1) 8 keys, control 1 group, save 2 scenes/ colors (2) for RGBW control	\$74.00	10Pcs	\$68.60		200g/pcs 36pcs /CTN
DALI-2 Wall Panel						
SR-2400R-DA2	DALI-2 rotary dimmer switch, powered by DALI bus	\$75.00	20Pcs	\$69.60		150g/pcs 36pcs /CTN
SR-2422K2-DA2	2 buttons DALI-2 Wall Panel (button's function set by DALI-2 master)	\$52.00	20Pcs	\$44.00		150g/pcs 36pcs /CTN
SR-2422K4-DA2	4 buttons DALI-2 Wall Panel (button's function set by DALI-2 master)	\$52.00	20Pcs	\$44.00		150g/pcs 36pcs /CTN
SR-2422K6-DA2	6 buttons DALI-2 Wall Panel (button's function set by DALI-2 master)	\$52.00	20Pcs	\$44.00		150g/pcs 36pcs /CTN
SR-2422K8-DA2	8 buttons DALI-2 Wall Panel (button's function set by DALI-2 master)	\$52.00	20Pcs	\$44.00		150g/pcs 36pcs /CTN
SR-2422K2-DA2-WSK	2 buttons DALI-2 Wall Panel (button's function set by DALI-2 master)	\$54.00	20Pcs	\$45.60		150g/pcs 36pcs /CTN
SR-2422K4DA2-WSK	4 buttons DALI-2 Wall Panel (button's function set by DALI-2 master)	\$54.00	20Pcs	\$45.60		150g/pcs 36pcs /CTN
SR-2422K6-DA2-WSK	6 buttons DALI-2 Wall Panel (button's function set by DALI-2 master)	\$54.00	20Pcs	\$45.60		150g/pcs 36pcs /CTN

SR-DA2833MS-CP	DALI-2 Motion Sensor coupler, connect dry-contact (PIR or Microwave) sensor heads to use. DALI bus powered.	\$49.00	20PCS	\$41.60		70g/pc 200pcs /CTN
SR-DA2833DS-CP	DALI-2 Daylight Sensor coupler, connect dry-contact daylight sensor head to use. DALI bus powered.	\$49.00	20PCS	\$41.60		70g/pc 200pcs /CTN
DALI-2 Smart Sensor						
SR-DA9030A-MW	(1) Ceiling mounted microwave + daylight sensor (2) DALI 2 compliant (3) Input Voltage: 12/24/36 VDC (4) DALI dimming output (5) <u>Ceiling mounted installation</u>	\$37.60	30pcs	US\$32.00		
SR-DA9030A-PIR	(1) Ceiling mounted PIR + daylight sensor (2) DALI 2 compliant (3) Input Voltage: powered by DALI bus (4) DALI dimming output (5) <u>Ceiling mounted installation</u>	\$37.60	30pcs	US\$32.00		
SR-DA9032A-MW	(1) Fixture-integrated microwave + daylight sensor (2) DALI 2 compliant (3) Input Voltage: 12/24/36 VDC (4) DALI dimming output (5) Ceiling mounted installation (6) <u>Detection area up to 8m @ 2.5m insllation height</u>	\$37.60	30pcs	US\$32.00		
SR-DA9032A-PIR	(1) Fixture-integrated PIR + daylight sensor (2) DALI 2 compliant (3) Input Voltage: powered by DALI bus (4) DALI dimming output (5) Ceiling mounted installation (6) <u>Detection area up to 5m @ 2.5m insllation height</u>	\$37.60	30pcs	US\$32.00		
SR-DA9033A-MW	(1) Zhaga 18 socket IP67 microwave + daylight sensor, one microwave antenna (2) DALI 2 compliant (3) Input Voltage: 12/24/36 VDC (2) DALI 2 compliant (3) Input Voltage: 12/24/36 VDC	\$50.80	30pcs	US\$43.20		
SR-DA9031A-MW	(1) Zhaga 18 socket IP67 microwave + daylight sensor, with DUAL microwave antenna , longer detecting range. (2) DALI 2 compliant (3) Input Voltage: 12/24/36 VDC (2) DALI 2 compliant (3) Input Voltage: 12/24/36 VDC	\$55.00	30pcs	\$47.20		
Zhaga18 Receptacle Base	Zhaga18 Receptacle Base	\$10.00	30pcs	\$6.80		